

## Page 1 of 1

All amounts are calculated in domestic currency.

---

[illegible]



# Specialty Steels

div. of MARMON/KEYSTONE CANADA INC.

1200 HERITAGE ROAD  
BURLINGTON ON CAN L7L 4X9  
TEL. 905/335-8827  
FAX. 905/335-7059

## PACKING SLIP

PAGE...: 1  
Order : 1169079  
Date...: 02/04/2016

SOLD TO: \_\_\_\_\_

SHIPPED TO: \_\_\_\_\_

DART AEROSPACE LTD  
1270 ABERDEEN STREET

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

SHIP VIA.....: JOURNEY FREIGHT CU103666  
F.O.B.....: BURLINGTON  
YOUR ORDER NO.....: P031257

SALESPERSON.....: C. Gee

| Ordered | Description  | Number Pieces | Quantity Shipped | Back Ordered |
|---------|--|---------------|------------------|--------------|
| 01      | Fax all papers to Linda Lacelle 613-632-1053<br>rev:01/11 GD<br>JOURNEY FREIGHT ACCT# CU103666 CONTACT: BRAD EASTERBROOK<br>TEL: 514-447-0242 MOBILE: 514-910-3417<br>ALUMINUM SMLS TUBE<br>120 /FT<br>ATS .375 .058 D6061<br>Cust. part#.: M6061T6T0.375W.058<br>HT#.....: F00135847<br>Total... 10 | 10            | 120/FT           | ✓            |
| 02      | ALUMINUM SMLS TUBE<br>84 /FT<br>ATS .500 .058 D6061<br>Cust. part#.: M6061T6T0.500W.058<br>HT#.....: F00162050<br>Total... 7   | 7             | 84/FT            | ✓            |
| 03      | STAINLESS STEEL SEAMLESS TUBE<br>40 /FT<br>SMLS TUBE 304L 3/4 X .049 A213<br>STS .750 .049 304L<br>Cust. part#.: M304TR0.750W.049<br>HT#.....: YT41422<br>Total... 2   | 2             | 40/FT            | ✓            |

CL 16102109

Packaging: 1 C. Tube 1 Bundle

Total Weight.....: 30.9

Customers.: \_\_\_\_\_



A Marmon Distribution Services/Berkshire Hathaway Company

# KAISER ALUMINUM

FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

61-30091-1

|   |                          |  |  |  |                      |
|---|--------------------------|--|--|--|----------------------|
| CUSTOMER PO NUMBER:<br>61-30091-2   |                          | CUSTOMER PART NUMBER:<br>AT/.375.058/734 |  | PRODUCT DESCRIPTION:<br>Seamless Tube/Pipe |                      |
| KAISER ORDER NUMBER:<br>212283  | LINE ITEM:<br>002        | SHIP DATE:<br>01/12/2013                 | KAISER LOT NUMBER:<br>F00135847  | ALLOY:<br>6061                             | TEMPER:<br>T6        |
| WEIGHT SHIPPED:<br>634.000 LB   | QUANTITY:<br>781.000 PCS | B/L NUMBER:<br>212932                    | DIAM/DAF/THICKS:<br>   | WIDTH:<br>                                 | LENGTH:<br>12.000 FT |
| SHIP TO:<br><br>MARMON/KEYSTONE CORP<br>32944 US HIGHWAY 6<br>SPRING VALLEY, IL 61362 USA |                          |  | SOLD TO:<br><br>MARMON/KEYSTONE CORP<br>1000 REMINGTON BLVD.<br>SUITE 305<br>BOLINGBROOK, IL 60440 USA |  |                      |

### Actual Physical Properties

| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | ELONG% | HARDNESS | CON% IACS | BEND |
|-----------|-------|---------|-----------|-----------|--------|----------|-----------|------|
| F00135847 | 0001  | 1       | 44.9      | 42.2      | 10.0   | N/A      | N/A       | N/A  |
| F00135847 | 0002  | 1       | 45.9      | 42.9      | 10.5   | N/A      | N/A       | N/A  |

### Chemical Composition (wt%), Aluminum Remainder

| LIMITS  | Si   | Fe   | Cu   | Mn   | Mg   | Cr   | Zn   | Ti   | Pb  | Bi  | Zr  | Ea   | Tot  |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA  | NA  | NA  | 0.05 | 0.15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA  | NA  | NA  | 0.00 | 0.00 |
| D71122  | .65  | .33  | .23  | .06  | .97  | .08  | .06  | .02  | .00 | .00 | .00 | .01  | .02  |

### Applicable Requirements:

Description: MADE IN USA  
 OD: 0.375"; Wall: 0.058"; Round &  
 AMS-4082P ASTM B210-12 WW-T-700/6F  
 WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
 COMPLIES TO DIN EN 10204 JAN 2005  
 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
 No Weld Repair. Mercury Free.

DAS  
14 16/02/10  
9-09

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Plant Serial: 00014553  
 Kaiser Order Number: 212283  
 Line Item: 002

ATS .375 .058 D6061 T6

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

|   |                          |                                       |  |  |                      |
|---|--------------------------|---------------------------------------|--|--|----------------------|
| CUSTOMER PO NUMBER:<br>61-31151-2   |                          | CUSTOMER PART NUMBER:<br>AT/5.058/734 |  | PRODUCT DESCRIPTION:<br>Seamless Tube/Pipe |                      |
| KAISER ORDER NUMBER:<br>215661  | LINE ITEM:<br>002        | SHIP DATE:<br>03/28/2014              | KAISER LOT NUMBER:<br>F00162050  | ALLOY:<br>6061                             | TEMPER:<br>T6        |
| WEIGHT SHIPPED:<br>747.000 LB   | QUANTITY:<br>655.000 PCS | B/L NUMBER:<br>215703                 | DIAM/DAF/THKNS:<br>  | WIDTH:<br>                                 | LENGTH:<br>12.000 FT |
| SHIP TO:<br>MARMON/KEYSTONE CORP<br>32944 US HIGHWAY 6<br>SPRING VALLEY, IL 61362 USA |                          |                                       | SOLD TO:<br>MARMON/KEYSTONE CORP<br>1000 REMINGTON BLVD.<br>SUITE 305<br>BOLINGBROOK, IL 60440 USA |  |                      |

### Actual Physical Properties

| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | ELONG% | HARDNESS | CON%IACS | BEND |
|-----------|-------|---------|-----------|-----------|--------|----------|----------|------|
| F00162050 | 0001  | 1       | 47.5      | 43.9      | 14.0   | N/A      | N/A      | N/A  |
| F00162050 | 0002  | 1       | 46.2      | 43.5      | 14.0   | N/A      | N/A      | N/A  |

### Chemical Composition (wt%), Aluminum Remainder

| LIMITS  | Si   | Fe   | Cu   | Mn   | Mg   | Cr   | Zn   | Ti   | Pb  | Bi  | Zr  | Ea   | Tot  |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA  | NA  | NA  | 0.05 | 0.15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA  | NA  | NA  | 0.00 | 0.00 |
| D72822  | .60  | .34  | .23  | .06  | .97  | .10  | .05  | .03  | .00 | .00 | .00 | .01  | .02  |

### Applicable Requirements:

Description: MADE IN USA

OD: 0.500"; Wall: 0.058"; Round @

AMS-4082P ASTM B210-12 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

DAS  
14 16/02/10  
9-99

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Plant Serial: 00017029  
Kaiser Order Number: 215661  
Line Item: 002

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**


<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager





CRYSTAL-PALACE

# SHANGHAI CRYSTAL PALACE PIPE CO., LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAI, CHINA

## MILL TEST CERTIFICATE

ISO9001:2008 ; PED Material CERTIFICATE (No.: QACC0021058/A)

DATE OF ISSUE: 2015/06/02

CUSTOMER MARMON/KEYSTONE CANADA INC

CERTIFICATE NO. 2015-3-17-C-2

P.O NO BN4626

ORDER NO. 2015-03-017-C

COMMODITY STAINLESS STEEL SEAMLESS TUBING

GRADE: ASTM A213-13/ASME SA213-13 TP304/TP304L

CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 400 GRIT

HEAT NO. YT41422

CHEMICAL CONTENTS (WT%)

| ELEMENTS        | C       | Mn     | P       | S       | Si     | Ni       | Cr        |
|-----------------|---------|--------|---------|---------|--------|----------|-----------|
| SPECIFICATION   | ≤ 0.035 | ≤ 2.00 | ≤ 0.040 | ≤ 0.030 | ≤ 0.75 | 8.0-11.0 | 18.0-20.0 |
| RESULTS (LADLE) | 0.019   | 1.01   | 0.039   | 0.003   | 0.42   | 8.07     | 18.10     |

## PHYSICAL PROPERTIES

| Dimensions |           |               | Bundle No. | Pieces | Weight (kg) | 0.2%YS (Mpa) |       |      | TS (Mpa) |       |      | EL (%) |      |      | FLARING TEST | FLATTENING TEST | HARDNESS HRB | EDDY CURRENT TEST TO E426 (100%) |
|------------|-----------|---------------|------------|--------|-------------|--------------|-------|------|----------|-------|------|--------|------|------|--------------|-----------------|--------------|----------------------------------|
| OD (inch)  | WT (inch) | Length (feet) |            |        |             | ≥ 205        | ≥ 515 | ≥ 35 | ≥ 205    | ≥ 515 | ≥ 35 | ≥ 35   | ≥ 35 | ≥ 35 |              |                 |              |                                  |
| 0.625      | 0.049     | 20            | 15-5-14    | 250    | 691         | 270          | 680   | 60.0 | OK       | OK    | OK   | OK     | OK   | OK   | OK           | OK              | 76           | OK (DRILLED HOLE)                |
| 0.750      | 0.049     | 20            | Z15-4-292  | 150    | 505         | 295          | 685   | 60.0 | OK       | OK    | OK   | OK     | OK   | OK   | OK           | OK              | 77           | OK (DRILLED HOLE)                |

## REMARKS

AS PER ASTM A213-13/ASME SA213-13  
WALL THICKNESS TOLERANCE AS PER ASTM A269-13  
IN COMPLIANCE TO NACE MR0175-2003  
IC TEST TO ASTM A262 PRACTICE E  
SOLUTION HEAT TREATMENT .1050°C X 1 5m/min  
NO WELD REPAIR WAS PERFORMED  
FREE FROM MERCURY CONTAMINATION  
COUNTRY OF ORIGIN CHINA  
MILL TEST CERTIFICATE TO EN 10204/3.1  
INVOICE NO. YK-15-05-59

1 WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT  
2 THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY  
SHANGHAI CRYSTAL PALACE PIPE CO., LTD

MANAGER OF QUALITY ASSURANCE DEPARTMENT / DING WEI-QUO

*Dingwei Qu*

JUL 09 2015

QC REVIEWED

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 304  
DATE: 16/02/10

PO / BATCH NO.: 31257/134212

MATERIAL CERT REC'D: yes  
QUANTITY RECEIVED: 40'  
QUANTITY INSPECTED: 40'  
QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: RT. 750X.049W  
THICKNESS RECEIVED: RT. 750X.045W  
SHEET SIZE ORDERED: \_\_\_\_\_  
SHEET SIZE RECEIVED: \_\_\_\_\_

| DESCRIPTION  | NCR<br>(Check<br>Y/N)              |                                    | COMMENTS |
|--|------------------------------------|------------------------------------|----------|
| SURFACE DAMAGE                                     | Y                                  | <input checked="" type="radio"/> N |          |
| CORRECT FINISH                                     | <input checked="" type="radio"/> Y | N                                  |          |
| CORROSION  | Y                                  | <input checked="" type="radio"/> N |          |
| CORRECT GRAIN DIRECTION                            | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT MATERIAL                                   | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT THICKNESS                                  | <input checked="" type="radio"/> Y | N                                  |          |
| PHOTO REQUIRED                                     | Y                                  | <input checked="" type="radio"/> N |          |
| CORRECT MATERIAL                                   | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT REF # TO LINK CERT                         | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT MATERIAL IDENTIFICATION                    | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT M# ON THE MATERIAL                         | <input checked="" type="radio"/> Y | N                                  |          |
| DOES THIS MATERIAL REQUIRE<br>ENGINEERING SIGN OFF | Y                                  | <input checked="" type="radio"/> N |          |
| DOES THIS REQUIRE AN<br>EXTRUSION REPORT           | Y                                  | <input checked="" type="radio"/> N |          |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.<br>RECORD RESULTS BELOW |     |     |       |       |
|--|-----|-----|-------|-------|
|  | HRC | HRB | DUR A | DUR D |
| TYPE OF MATERIAL   |     |     |       |       |
| SIZE OF TEST SAMPLE  |     |     |       |       |
| HARDNESS / DUROMETER READING   |     |     |       |       |

*testers located in the Quality Office*

| QC 18 INSPECTION                                     | ENGINEERING SIGNOFF (if required)   |
|--|-------------------------------------|
| INSPECTED BY: <u>DAS 14</u><br>DATE: <u>16/02/10</u> | SIGNED OFF BY: _____<br>DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 6061T6  
DATE: 16/02/10

PO / BATCH NO: 31257/134212

MATERIAL CERT REC'D: yes  
QUANTITY RECEIVED: 120'  
QUANTITY INSPECTED: 120'  
QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: RT. 375 X .058W  
THICKNESS RECEIVED: RT. 375 X .054W  
SHEET SIZE ORDERED: \_\_\_\_\_  
SHEET SIZE RECEIVED: \_\_\_\_\_

| DESCRIPTION  | NCR<br>(Check<br>Y/N)            |                                  | COMMENTS |
|--|----------------------------------|----------------------------------|----------|
| SURFACE DAMAGE                                     | Y                                | <input checked="" type="radio"/> |          |
| CORRECT FINISH                                     | <input checked="" type="radio"/> | N                                |          |
| CORROSION  | Y                                | <input checked="" type="radio"/> |          |
| CORRECT GRAIN DIRECTION                            | <input checked="" type="radio"/> | N                                |          |
| CORRECT MATERIAL                                   | <input checked="" type="radio"/> | N                                |          |
| CORRECT THICKNESS                                  | <input checked="" type="radio"/> | N                                |          |
| PHOTO REQUIRED                                     | Y                                | <input checked="" type="radio"/> |          |
| CORRECT MATERIAL                                   | <input checked="" type="radio"/> | N                                |          |
| CORRECT REF # TO LINK CERT                         | <input checked="" type="radio"/> | N                                |          |
| CORRECT MATERIAL IDENTIFICATION                    | <input checked="" type="radio"/> | N                                |          |
| CORRECT M# ON THE MATERIAL                         | <input checked="" type="radio"/> | N                                |          |
| DOES THIS MATERIAL REQUIRE<br>ENGINEERING SIGN OFF | Y                                | <input checked="" type="radio"/> |          |
| DOES THIS REQUIRE AN<br>EXTRUSION REPORT           | Y                                | <input checked="" type="radio"/> |          |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.<br>RECORD RESULTS BELOW |     |     |       |       |
|--|-----|-----|-------|-------|
| TYPE OF MATERIAL   | HRC | HRB | DUR A | DUR D |
| SIZE OF TEST SAMPLE  |     |     |       |       |
| HARDNESS / DUROMETER READING   |     |     |       |       |

*testers located in the Quality Office*

| QC 18 INSPECTION         |                      | ENGINEERING SIGNOFF (if required) |  |
|--------------------------|----------------------|-----------------------------------|--|
| INSPECTED BY: <u>DAS</u> | SIGNED OFF BY: _____ |                                   |  |
| DATE: <u>16/02/10</u>    | DATE: _____          |                                   |  |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 6061T6  
DATE: 16/02/10

PO / BATCH NO: 31257/134212

MATERIAL CERT REC'D: yes  
QUANTITY RECEIVED: 84'  
QUANTITY INSPECTED: 84'  
QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: RT. 500X.058W  
THICKNESS RECEIVED: RT. 500X.055W  
SHEET SIZE ORDERED: \_\_\_\_\_  
SHEET SIZE RECEIVED: \_\_\_\_\_

| DESCRIPTION  | NCR<br>(Check<br>Y/N)              |                                    | COMMENTS |
|--|------------------------------------|------------------------------------|----------|
| SURFACE DAMAGE                                     | Y                                  | <input checked="" type="radio"/> N |          |
| CORRECT FINISH                                     | <input checked="" type="radio"/> Y | N                                  |          |
| CORROSION  | Y                                  | <input checked="" type="radio"/> N |          |
| CORRECT GRAIN DIRECTION                            | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT MATERIAL                                   | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT THICKNESS                                  | <input checked="" type="radio"/> Y | N                                  |          |
| PHOTO REQUIRED                                     | Y                                  | <input checked="" type="radio"/> N |          |
| CORRECT MATERIAL                                   | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT REF # TO LINK CERT                         | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT MATERIAL IDENTIFICATION                    | <input checked="" type="radio"/> Y | N                                  |          |
| CORRECT M# ON THE MATERIAL                         | <input checked="" type="radio"/> Y | N                                  |          |
| DOES THIS MATERIAL REQUIRE<br>ENGINEERING SIGN OFF | Y                                  | <input checked="" type="radio"/> N |          |
| DOES THIS REQUIRE AN<br>EXTRUSION REPORT           | Y                                  | <input checked="" type="radio"/> N |          |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.<br>RECORD RESULTS BELOW |     |     |       |       |
|--|-----|-----|-------|-------|
| TYPE OF MATERIAL   | HRC | HRB | DUR A | DUR D |
| SIZE OF TEST SAMPLE  |     |     |       |       |
| HARDNESS / DUROMETER READING   |     |     |       |       |

*testers located in the Quality Office*

| QC 18 INSPECTION   | ENGINEERING SIGNOFF (if required)              |
|--|--|
| <p>INSPECTED BY: <u>DAS</u><br/><u>14</u><br/><u>5-23</u></p> <p>DATE: <u>16/02/10</u></p> | <p>SIGNED OFF BY: _____</p> <p>DATE: _____</p> |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31257**

Purchase Order Date 2/4/2016

PO Print Date 2/4/2016

Page Number 1 of 2

**Order From :**

VC-MAR001

MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED  
FEB 04 2016

**Contact Name**

**Vendor Phone** 800 361 8142

**Ship To Contact**

**Ship To Phone**

**Ship Via:** Journey Freight collect

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms** Net 30

**Currency** CAD

**FOB** Destination-Collect

| Line Nbr   | Reference<br>Vendor Part Number<br>Line Comments<br>Delivery Comments | Description/<br>Mfg ID         | Req Date/<br>Taxable<br>Promise Date | CD | Req Qty/<br>Unit of<br>Measure     | PO Unit Price | Extended<br>Price |
|--|---|--------------------------------|--------------------------------------|----|------------------------------------|---------------|-------------------|
| 1  | M6061T6T0.375W.058  | 6061-T6 RD Tube .375<br>x.058W | 2/11/2016<br>Yes<br>2/11/2016        |    | 120.00<br>X10<br>f                 | \$1.95        | \$234.00          |
| MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING<br>AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR<br>AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR<br>ASTM B241 |   |                                |                                      |    |                                    |               |                   |
| Line Total:  |   |                                |                                      |    |                                    |               | \$234.00          |
| 2  | M6061T6T0.500W.058  | 6061-T6 RD Tube .500<br>x.058W | 2/11/2016<br>Yes<br>2/11/2016        |    | 84.00<br>V14<br>16/2/19<br>54<br>f | \$1.85        | \$155.40          |
| MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING<br>AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR<br>AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR<br>ASTM B241 |   |                                |                                      |    |                                    |               |                   |
| Line Total:  |   |                                |                                      |    |                                    |               | \$155.40          |

M 134 212

Note:

2/4/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31257**

Purchase Order Date 2/4/2016

PO Print Date 2/4/2016

Page Number 2 of 2

**Order From :**

VC-MAR001

MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 800 361 8142

**Ship To Contact**

**Ship To Phone**

**Ship Via:** Journey Freight collect

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms** Net 30

**Currency** CAD

**FOB** Destination-Collect

|   |                  |                          |           |       |  |        |         |
|---|------------------|--------------------------|-----------|-------|--|--------|---------|
| 3 | M304TR0.750W.049 | 304 RD Tube .750 x .049W | 2/11/2016 | 40.00 |  | \$2.00 | \$80.00 |
|   |                  |                          | Yes       | f     |  |        |         |
|   |                  |                          | 2/11/2016 | xy    |  |        |         |

MATERIAL: AISI 304/316 SA SEAMLESS ROUND TUBING  
AS PER ASTM A213 OR AMSE SA213 OR ASTM A269

**Line Total:** \$80.00

|   |          |                                 |           |               |  |        |        |
|---|----------|---------------------------------|-----------|---------------|--|--------|--------|
| 4 | 71401-45 | PROCUREMENTR<br>QUALITY CLAUSES | 2/11/2016 | 1.00          |  | \$0.00 | \$0.00 |
|   |          |                                 | No        |               |  |        |        |
|   |          |                                 | 2/11/2016 | 16/2/19<br>24 |  |        |        |

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

**Line Total:** \$0.00

**PO Total:** \$469.40

CL

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1

Change Date: 2/4/2016